Differential Diagnosis of the Dizzy Patient Parts 1 and 2

References

Alvord LS, Herr RD: ENG in the emergency room: subtest results in acutely dizzy patients. *J Am Acad Audiol* 1994; 5:384-389

Asavasopon, S., Jankoski, J., & Godges, J. (2005). Clinical Diagnosis of Vertebrobasilar Insufficiency: Resident's Case Problem. *J Orthop Sports Phys Ther*; 35: 645-650.

Baloh, R. (1998). "Differentiating between peripheral and central causes of vertigo." Otolaryngol Head Neck Surg, 199, 55-59.

Baloh, R.W., and Honrubia, V. Clinical Neurophysiology of theVestibular System. Philadelphia: F A Davis, 1990; 112-129.

Bhansali, S., Stockwell, C., & Bojrab, D. (1993). Oscillopsia in patients with loss of vestibular function. Otolaryngology- Head and Neck Surgery, 109, 120-125.

Brantberg K, Bergenius J, Tribukait A. (1999) Vestibular-evoked myogenic potentials in patients with dehiscence of the superior semicircular canal. *Acta Otolaryngol.; 119(6)*: 633-40.

Brantberg K, Bergenius J, Mendel L, Witt H, Tribukait A, Ygge J. Symptoms, findings and treatment in patients with dehiscence of the superior semicircular canal. *Acta Otolaryngol*. Jan 2001;121(1):68-75.

Burina A, Sinanović O, Smajlović D, Vidović M, Brkić F. (2008). Some aspects of balance disorder in patients with multiple sclerosis. *Bosn J Basic Med Sci; 8(1):*80-5.

Casani, A., Vannucci, G., Fattori, B., & Berrettini, S. (2002). The treatment of horizontal canal positional vertigo: Our experience in 66 cases. *Laryngoscope, 112,* 172-178

Childs, J., Flynn, T., Fritz, J., Piva, S., Whitman, J., Wainner, R., & Greenman, P. (2005). Screening for Vertebrobasilar Insufficiency in Patients with Neck Pain: Manual Therapy Decision-Making in the Presence of Uncertainty. *J Orthop Sports Phys Ther*; 35: 300-306

Clendaniel, R. (2000). Cervical vertigo. In S. Herdman (Ed.), *Vestibular Rehabilitation* Philadelphia: F.A. Davis.

Cnyrim CD, Newman-Toker D, Karch C, Brandt T, Strupp M. (2008). Bedside differentiation of vestibular neuritis from central "vestibular pseudoneuritis". *J Neurol Neurosurg Psychiatry; 79(4):*458-60.

el-Kashlan, H., Shepard, N., Asher, A., Smith-Wheelock, M., & Telian, S. (1998). Evaluation of clinical measures of equilibrium. *Laryngoscope, 108*, 311-319.

Escher A, Ruffieux C, Maire R. (2007) Efficacy of the barbecue manoeuvre in benign paroxysmal vertigo of the horizontal canal. *Eur Arch Otorhinolaryngol. Oct;264(10)*:1239-41.

Fetter, M., & Dichgans, J. (1996). Vestibular neuritis spares the inferior division of the vestibular nerve. *Brain, 119*, 755–763.

Furman, J. (June, 2004). Lethal vertigo: Emergency Medicine. Agency for Healthcare Research and Quality. http://www.webmm.ahrq.gov/case.aspx?caseID=63

Gufoni, M., Mastrosimone, L., & DiNasso, F. (1998). Tratamento con manovra di riposizionamento per la canalolithiasi orizzontale. (Repositioning maneuver in benign paroxysmal vertigo of horizontal semicircular canal) *Acta otorhinolayngol Ital, 18,* 363-367.

Haynes DS, Resser JR, Labadie RF, Girasole CR, Kovach BT, Scheker LE, Walker DC. (2002). Treatment of benign positional vertigo using the semont maneuver: efficacy in patients presenting without nystagmus. *Laryngoscope.112(5):*796-801.

Herdman, S., Tusa, R., Blatt, P., Suzuki, A., Venuto, P., & Roberts, D. (1998). Computerized dynamic visual acuity test in the assessment of vestibular deficits. *American Journal of Otolaryngology, 19,* 790-796.

Honrubia V, Baloh RW, Harris MR, Jacobson KM. (1999). Paroxysmal positional vertigo syndrome. *Am J Otol. 20(4)*:465-70.

Hillman, E., Bloomberg, J., McDonald, P., & Cohen, H. (1999). Dynamic visual acuity while walking in normals and labyrinthine-deficient patients. *Journal of Vestibular Research, 9,* 49-57.

Hosomi M, Matsumoto K, Kageyama Y, Ichikawa K. (2008). Three cases of small brain infarction in the lateral wall of the fourth ventricle presenting with paroxysmal positional vertigo and vomiting. *Rinsho Shinkeigaku; 48(10):*709-12. Japanese.

Jeng, J., Yip, P. (2004). Evaluation of vertebral artery hypoplasia and asymmetry by color-coded duplex ultrasonography.*Ultrasound in Medicine & Biology*; *30(5)*: 605-609.

Lee H, Kim JS, Chung EJ, Yi HA, Chung IS, Lee SR, Shin JY. (2009). Infarction in the territory of anterior inferior cerebellar artery: spectrum of audiovestibular loss. Stroke. 40(12):3745-51.

Leigh, R., & Zee, D. (2001). *The neurology of eye movements* (3rd ed.). New York: Oxford University Press

Lempert T, Neuhauser H, Daroff RB. (2009). Vertigo as a symptom of migraine. *Ann N Y Acad Sci. 1164*:242-51.

Mehdi, A. & Ko, D. (2009). Paraneoplastic Cerebellar Degeneration. (http://emedicine.medscape.com/article/1156965-overview)

Minor, L. & Carey, J. (August, 2006). Superior semicircular canal dehiscence, perilymphatic fistula, and Meniere's disease: Assessment and management. *Continuum: Lifelong Learning in Neurology, 12(4)*, 65-91

Monsell EM, Balkany TA, Gates GA, Goldenberg RA, Meyerhoff WL, House JW. Committee on hearing and equilibrium. Guidelines for diagnosis and evaluation of therapy in Meniere's disease. *Otolaryngol Head Neck Surg* 1995;113:181–5.

Naya Gálvez MJ, Fraile Rodrigo JJ, Liesa RF, Vicente González EA, Garrido CM, Sampériz LC, Tajada JD. (2002). Otorhinolaryngologic manifestations in Chiari malformation. *Am J Otolaryngol. 23(2*):99-104.

Neuhauser HK. Epidemiology of vertigo. (2007). *Curr Opin Neurol. 20(1):*40-6.

Neuhauser H, Leopold M, von Brevern M, Arnold G, Lempert T. (2001). The interrelations of migraine, vertigo, and migrainous vertigo. *Neurology 27;56(4):* 436-41.

Pollak L, Klein C, Rabey JM, Reichenthal E. (2001). Posturally evoked vomiting without nystagmus in a patient with Arnold-Chiari malformation. *J Neurol Neurosurg Psychiatry. 71(3):*414-5.

Roberts, R. (2009). Functional assessment and management of peripheral vestibulopathy, *Perspectives on Audiology, 5*, 40-53.

Roberts RA, Gans RE, Kastner AH. (2006). Differentiation of migrainous positional vertigo (MPV) from horizontal canal benign paroxysmal positional vertigo (HC-BPPV). *Int J Audiol.;45(4):*224-6.

Roberts, R. and Gans, R. (2008). Non-Medical Management of Positional Vertigo, In Jacobson, G. & Shephard, N. (Eds.) Balance Function Assessment and Management (pp. 447-468). San Diego, CA: Plural Publishing.

Roberts, R., & Gans, R. (2007). Comparison of horizontal and vertical dynamic visual acuity in patients with vestibular dysfunction and nonvestibular dizziness. *Journal of the American Academy of Audiology, 18, 236–244.*

Roberts, R., Gans, R., Johnson, E., & Chisolm, T. (2006). Computerized dynamic visual acuity with volitional head movement in patients with vestibular dysfunction. *Annals of Otology, Rhinology & Laryngology, 115, 658-666.*

Rosemergy I, Mossman S. (2007). Brainstem lesions presenting with nausea and vomiting. *N Z Med J. 18;*120(1254):U2532.

Schubert, M., Herdman, S., & Tusa, R. (2002). Vertical dynamic visual acuity in normal subjects and patients with vestibular hypofunction. *Otology & Neurotology, 23*, 372-377.

Shumway-Cook, A. & Horak, F. (1986). Assessing the influence of sensory interaction of balance: Suggestion from the field. *Physical Therapy, 66,* 1548-1550.

Steenerson, R., Cronin, G., & Marbach, P. (2005). Effectiveness of treatment techniques in 923 cases of benign paroxysmal positional vertigo. *Laryngoscope, 115,* 226-231

Von Brevern M, Arnold G, Lempert T. (2004). Migrainous vertigo. *Schmerz. 18(5)*:411-4.

Weber, P., & Cass, S. (1993). Clinical assessment of postural stability. *American Journal of Otology, 14,* 566-569.

Wrisley, D., & Whitney, S. (2004). The effect of foot position on the modified clinical test of sensory integration and balance. *Archives of Physical Medicine and Rehabilitation, 85,* 335-338.

White, J., Coale, K., Catalano, P., & Oas, J. (2005). Diagnosis and management of lateral semicircular canal benign paroxysmal positional vertigo. *Otolaryngology- Head and Neck Surgery, 133,* 278-284

Young, Wu, C.C., Wu, C.H. (2002) Augmentation of vestibular evoked myogenic potentials: an indication for distended saccular hydrops. *Laryngoscope. 112 (3).* 509-512.